

Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	



General Certificate of Education
Advanced Level Examination
June 2015

Mathematics

MFP2

Unit Further Pure 2

Tuesday 16 June 2015 1.30 pm to 3.00 pm

For this paper you must have:

- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

Time allowed

- 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do **not** use the space provided for a different question.
- Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.



J U N 1 5 M F P 2 0 1

QUESTION
PART
REFERENCE

Answer space for question 3

A large rectangular area with horizontal dotted lines for writing the answer to question 3.

Turn over ►



5 The locus of points, L , satisfies the equation

$$|z - 2 + 4i| = |z|$$

(a) Sketch L on the Argand diagram below.

[3 marks]

(b) The locus L cuts the real axis at A and the imaginary axis at B .

(i) Show that the complex number represented by C , the midpoint of AB , is

$$\frac{5}{2} - \frac{5}{4}i$$

[4 marks]


(ii) The point O is the origin of the Argand diagram. Find the equation of the circle that passes through the points O , A and B , giving your answer in the form $|z - \alpha| = k$.

[2 marks]

QUESTION
PART
REFERENCE

Answer space for question 5

(a)



QUESTION
PART
REFERENCE

Answer space for question 6

Area with horizontal dotted lines for writing the answer to question 6.

Turn over ►



QUESTION
PART
REFERENCE

Answer space for question 7

A large rectangular area with horizontal dotted lines for writing the answer to question 7.



QUESTION
PART
REFERENCE

Answer space for question 8

Area with horizontal dotted lines for writing the answer.

END OF QUESTIONS

Copyright © 2015 AQA and its licensors. All rights reserved.

